

## AXOR ShowerSolutions

Thermostatic module 360/120 for concealed installation square for 3 functions

Finish: **Chrome** Article Number: **10751000**



### product features

- 3 functions
- simultaneous use of several outlets
- T42K
- min. operating pressure: 1,5 bar
- max. operating pressure: 10 bar
- Safety stop at 40 °C
- temperature limitation adjustable
- non-return valve
- connection dimension: DN20
- connection type: basic set


### Certificates / Sustainability



### Product image






### Scale drawing



**AXOR ShowerSolutions**  
**Thermostatic module 360/120 for concealed installation square for 3 functions**  
 Finish: **Chrome** Article Number: **10751000**



## Installation examples



## AXOR ShowerSolutions


Thermostatic module 360/120 for concealed installation square for 3 functions

Finish: **Chrome** Article Number: **10751000**



### Exploded Drawing

Year of production: >03/14



## AXOR ShowerSolutions

Thermostatic module 360/120 for concealed installation square for 3 functions

Finish: **Chrome** Article Number: **10751000**



### Spare part list

Year of production: >03/14

Pos.		Article Number	PC	PU
1	escutcheon	95317000	20	1
2	seal	95885000	4	1
3	handle	92338000	11	1
4	handle fixing set	94184000	2	1
5	adapter for handle	95153000	12	1
6	O-ring 26x2	98147000	1	1
7	fixing set	96393000	8	1
8	handle for thermostat	95316000	15	1
9	adapter for handle	98701000	3	1
10	safety set for temperature control	97334000	4	1
11	sleeve	95331000	11	1
12	O-ring 28x2,5	98209000	1	1
13	thermostat cartridge	96633000	15	1
14	O-ring 48x4	98414000	3	1
15	set of non return valves DW 15	97350000	6	1
16	filter	97973000	5	1
17	extension 25 mm	10790000	99	1
18	handle	95423000	13	1
19	extension 25 mm	96370000	99	1
a	concealed item	10750180	99	1